






Illusion Soft



Illusion Soft LED has a unique design aesthetics with a high performance micro-prism lens, combined with dedicated contrast reduction panels to ensure optimum light control and a uniformly lit, dynamic environment

Product- and environment images



| Article | Protection | Control gear | Mounting/Connection | Dimensions |
|---|-------------------------------|-------------------|---|--------------------|
| 4000K | | | | |
|  8246086194 • Illusion Soft LED 600x600 3790lm 4000K Ra>80 DALI-2 30W LED 126 lm/W SDCM:3 L80/B10>60,000 Direct, Opalprism | Class I IP20 | DALI-2 | Recessed, Indoor 5 pol Winsta / Terminal block | L595 x W595 x H126 |
|  8246086217 • Illusion Soft LED 600x600 3790lm 4000K Ra>80 DALI Emergency 3H 30W LED 126 lm/W SDCM:3 L80/B10>60,000 Direct, Opalprism | Class I IP20 | DALI Emergency 3H | Recessed, Indoor 5 pol Winsta / Terminal block | L595 x W595 x H126 |
| Others | | | | |
|  820307 Emergency battery 3 Hours 3.0Ah - Model No: B093 | | | | L137 x W27 x H27 |
|  8249044560 • Surface frame 600x600 White | | | Indoor | |
| Accessories | | | | |
|  8249044557 625x625 White Plaster board/Troldtekt Recessed frame Sheet steel | | | | L625 x W625 x H55 |

• = This article is produced by order, with an expected delivery time of 3-4 weeks.