

# Tube Eco DALI



LED spot for DALI three-phase rail system. Fitted with global adapter and compatible with all systems that work with this. Powerful LED chip and integrated driver gives this spot a minimalistic and exclusive look. A long service life, fantastic colour rendering and large lumen package make Tube Eco DALI the ideal choice for shops and exhibitions.

Tube Eco DALI comes with a honeycomb filter that can be attached in front of the reflector for extremely low glare.


# Tube Eco DALI










## Product- and environment images



# Tube Eco DALI



For line drawing dimensions please see each single article codes on next page

Article	Protection	Control gear	Mounting/Connection	Dimensions
<b>3000K</b>				
 <p>312450  <b>Tube Eco 3-Circuit White 2280lm</b>  <b>3000K Ra&gt;90 DALI-2</b>  <b>26W LED</b>            88 lm/W SDCM:3            L90/B10&gt;100,000            Beam: 32°, Direct, Reflector</p>	<p><b>Class I</b>  <b>IP20</b></p>	<p>DALI-2</p>	<p>Surface, Indoor            ShopLine DALI track (adapter included)</p>	<p>Ø92 x H220</p>
 <p>312452  <b>Tube Eco 3-Circuit Black 2280lm</b>  <b>3000K Ra&gt;90 DALI-2</b>  <b>26W LED</b>            88 lm/W SDCM:3            L90/B10&gt;100,000            Beam: 32°, Direct, Reflector</p>	<p><b>Class I</b>  <b>IP20</b></p>	<p>DALI-2</p>	<p>Surface, Indoor            ShopLine DALI track (adapter included)</p>	<p>Ø92 x H220</p>
<b>4000K</b>				
 <p>312451  <b>Tube Eco 3-Circuit White 2410lm</b>  <b>4000K Ra&gt;90 DALI-2</b>  <b>26W LED</b>            93 lm/W SDCM:3            L90/B10&gt;100,000            Beam: 32°, Direct, Reflector</p>	<p><b>Class I</b>  <b>IP20</b></p>	<p>DALI-2</p>	<p>Surface, Indoor            ShopLine DALI track (adapter included)</p>	<p>Ø92 x H220</p>
 <p>312453  <b>Tube Eco 3-Circuit Black 2410lm</b>  <b>4000K Ra&gt;90 DALI-2</b>  <b>26W LED</b>            93 lm/W SDCM:3            L90/B10&gt;100,000            Beam: 32°, Direct, Reflector</p>	<p><b>Class I</b>  <b>IP20</b></p>	<p>DALI-2</p>	<p>Surface, Indoor            ShopLine DALI track (adapter included)</p>	<p>Ø92 x H220</p>
<b>Others</b>				
 <p>312530  <b>Shopline DALI White Monopoint</b></p>	<p><b>Class I</b>  <b>IP20</b></p>		<p>Surface, Indoor</p>	<p>Ø143 x H35</p>
 <p>312531  <b>Shopline DALI Black Monopoint</b></p>	<p><b>Class I</b>  <b>IP20</b></p>		<p>Surface, Indoor</p>	<p>Ø143 x H35</p>
<b>Accessories</b>				
 <p>300470  <b>Tube(Eco)/Aneto 17° Reflector</b></p>				<p>L75 x W75 x H55</p>

# Article codes



Article	Protection	Control gear	Mounting/Connection	Dimensions
 300471 <b>Tube(Eco)/Aneto 32° Reflector</b>				L75 x W75 x H55
 300472 <b>Tube(Eco)/Aneto 50° Reflector</b>				L75 x W75 x H55