

CE – Declaration of Conformity

Document: CE-UKCA240425A_Rax Soft Surface IP65 150
 Product Inspection: PI240424A
 Risk Assessment: RA240417B

We, **SG Armaturen AS**
Skytterheia 25
N-4790 Lillesand - Norway

declare under sole responsibility that the product

Luminaire

Type

Rax Soft Surface IP65 150

Name(s)

To which this declaration relates is in conformity with the following EC-directive(s):

<i>Directive 2014 / 30 / EU</i> Electromagnetic compatibility (EMC)	<i>Directive 2014 / 35 / EU</i> Low Voltage directive (LVD)	<i>Directive 2009 / 125 / EF</i> (Regs 244/2009, 245/2009, 347/2010)* Ecodesign requirements (ECO) <small>* As applicable and including amendments</small>
--	--	---

RoHS 2011 / 65 / EU + RoHS III / EU 2015/863

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

- | | |
|----------------------------------|---|
| EN 60598-1:2021+A11:2022 | (Luminaires - General requirements) |
| EN 60598-2-2:2012 | (Luminaires - Recessed) |
| EN 62471:2008 | (Luminaires – Photobiological safety of lamps and lamp systems) |
| EN 62493:2015 | (EMF – Lighting equipment related to human exposure) |
| EN 55015:2019+A11:2020 | (EMC - Radio disturbance) |
| EN 61000-3-2:2019 | (EMC - Harmonics) |
| EN 61000-3-3:2013+A1:2019 | (EMC – Voltage change, fluctuation & flicker) |
| EN 61547:2009 | (EMC - Immunity) |

CE declaration date: 2024

Statement of Conformity

issued by SG Armaturen AS

Manufacturer

Lillesand, 25/04-2024
 Place and date of issue

Martin Ettrup

Approval Engineer
 Name of authorized person


Signature of authorized person



UKCA – Declaration of Conformity

Document: CE-UKCA240425A_Rax Soft Surface IP65 150
Product Inspection: PI240424A
Risk Assessment: RA240417B

We, **SG Armaturen AS**
Skytterheia 25
N-4790 Lillesand - Norway

declare under sole responsibility that the product

Luminaire

Type

Rax Soft IP65 Surface 150

Name(s)

To which this declaration relates is in conformity with the following UK-regulations:

<i>UK SI 2016 No. 1091</i>	<i>UK SI 2016 No. 1101</i>	<i>UK SI 2010 No. 2617</i>	<i>UK SI 2012 No. 3032</i>
The Electromagnetic Compatibility Regulations 2010	The Electrical Equipment (Safety) Regulations 2016	The Ecodesign for Energy-Related Products Regulations 2010 Equipment (Safety) Regulations 2016	The Restriction of the Use of Certain Hazardous Substances in Electrical Equipment Regulations 2012

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

- EN 60598-1:2021+A11:2022** (Luminaires - General requirements)
- EN 60598-2-2:2012** (Luminaires - Recessed)
- EN 62471:2008** (Luminaires – Photobiological safety of lamps and lamp systems)
- EN 62493:2015** (EMF – Lighting equipment related to human exposure)
- EN 55015:2019+A11:2020** (EMC - Radio disturbance)
- EN 61000-3-2:2019** (EMC - Harmonics)
- EN 61000-3-3:2013+A1:2019** (EMC – Voltage change, fluctuation & flicker)
- EN 61547:2009** (EMC - Immunity)
- UK SI 2021 No. 1095** (Luminaires – The Ecodesign for Energy-Related products and Energy Information)

UKCA declaration date: 2024

Statement of Conformity

issued by SG Armaturen AS

Manufacturer
Lillesand, 25/04-2024
Place and date of issue

Martin Ettrup
Approval Engineer
Name of authorized person

Martin Ettrup
Signature of authorized person



Declaration of Conformity statements/valid for the following products:

Product ID Number	Product Description	Article type	Article group
7021982127625	Rax Soft Surface IP65 150 White 4000	3000K DALI	703270
7021982127618	Rax Soft Surface IP65 150 Black 3700lm	4000K Ra>80 On/Off	703270
7021982127632	Rax Soft Surface IP65 150 White 4000	4000K DALI	703270
7021982127649	Rax Soft Surface IP65 150 Black 4000	3000K DALI	703270
7021982127656	Rax Soft Surface IP65 150 Black 4000	4000K DALI	703270
7021982127588	Rax Soft Surface IP65 150 White 3440lm	3000K Ra>80 On/Off	703270
7021982127595	Rax Soft Surface IP65 150 White 3750lm	4000K Ra>80 On/Off	703270
7021982127601	Rax Soft Surface IP65 150 Black 3490lm	3000K Ra>80 On/Off	703270